

Barriers to Private Well Water Testing in New Hampshire as Revealed by a Statewide Survey of Well Owners

CDC Grant No. 1 U53/EH001110-01

Mark Borsuk, Project Leader

Laurie Rardin, Kathrin Lawlor, Michael Paul, Project Coordinators

Thomas Hampton, Biostatistician

Project Aims

- A. Estimate statewide rates of well water testing and treatment for arsenic
- B. Assess the importance of a variety of factors influencing the rate of water testing and treatment
- C. Identify subpopulations that are less likely to test and treat their water
- F. Design intervention strategies to overcome identified barriers to testing and treatment



Project Phases



Phase 1: Focus Groups

Phase 2: Survey Design

Phase 3: Survey Recruitment

Phase 4: Survey Response

Phase 5: Survey Analysis

Phase 1: Focus Groups

New London

March 4, 2014, 6 P.M.

Town Office, 375 Main Street

7 participants

Barrington

March 5, 2014, 2 P.M.

Town Office, 333 Calef Highway

10 participants

Goffstown

March 6, 2014, 7 P.M.

Town Office, 16 Main St.


7 participants

Londonderry

March 19, 2014, 4 P.M.

Town Office, 268B Mammoth Road

7 participants




Phase 1: Focus Groups

Among the participants were:

- a town manager
- a town administrator
- two health officers
- two building inspectors
- a real estate agent
- a code enforcement officer
- planning board members
- a director of public works
- a diverse group of residents

Topics addressed:

1. Well water quality
2. Well water testing
3. Well water test results
4. Well water treatment
5. Sources of information



Topic 1: Water Quality



- Many participants used well water as their primary source of water, and several noted its superior taste and clarity.
- A few participants preferred to drink bottled water because their well water had an atypical odor or taste.
- Participants associated well water quality with taste, smell, and appearance.
- Many participants felt that it was common knowledge that geology affected well water quality; however, **few understood the scale of geological variability**.
- Participants felt that information about local geology and its influence on water quality was not readily available.
- Participants believed that **those who did not have a well as a child may not realize that they are responsible** for their water quality.

Topic 2: Water Testing



- Participants disagreed as to whether water testing was common practice in their community.
- Few had any knowledge of local, state, or federal water testing recommendations.
- A majority of participants **recalled last testing their water during a real estate transaction**, but many had not tested since that time.
- Several who lived in the same home for a long period of time **had not tested their water since they moved in** because it always tasted and looked good.
- Participants identified **awareness, cost and inconvenience as the major barriers** to regular water testing.
- Many commented that a locally-sponsored educational campaign would prompt many people to test their water.
- Some also mentioned that **town websites and offices would be ideal locations** for more information.



F.A.S.T. Laboratories

The First Laboratory for Safe and Effective Testing

7700 W. 11th Street • Suite 100 • Minneapolis, MN 55425 • (612) 835-1100 • FAX (612) 835-1101

FAST LABORATORIES • Columbia
 Km. 18, Bgo. Békling, La Grana City, Laguna

TEST REPORT

CLIN-2493
 Test #

CL-001	Amniotic Cord Tissue
CL-002	Amniotic Cord Tissue
CL-003	Amniotic Cord Tissue
CL-004	Amniotic Cord Tissue
CL-005	Amniotic Cord Tissue
CL-006	Amniotic Cord Tissue
CL-007	Amniotic Cord Tissue
CL-008	Amniotic Cord Tissue
CL-009	Amniotic Cord Tissue
CL-010	Amniotic Cord Tissue
CL-011	Amniotic Cord Tissue
CL-012	Amniotic Cord Tissue
CL-013	Amniotic Cord Tissue
CL-014	Amniotic Cord Tissue
CL-015	Amniotic Cord Tissue
CL-016	Amniotic Cord Tissue
CL-017	Amniotic Cord Tissue
CL-018	Amniotic Cord Tissue
CL-019	Amniotic Cord Tissue
CL-020	Amniotic Cord Tissue
CL-021	Amniotic Cord Tissue
CL-022	Amniotic Cord Tissue
CL-023	Amniotic Cord Tissue
CL-024	Amniotic Cord Tissue
CL-025	Amniotic Cord Tissue
CL-026	Amniotic Cord Tissue
CL-027	Amniotic Cord Tissue
CL-028	Amniotic Cord Tissue
CL-029	Amniotic Cord Tissue
CL-030	Amniotic Cord Tissue
CL-031	Amniotic Cord Tissue
CL-032	Amniotic Cord Tissue
CL-033	Amniotic Cord Tissue
CL-034	Amniotic Cord Tissue
CL-035	Amniotic Cord Tissue
CL-036	Amniotic Cord Tissue
CL-037	Amniotic Cord Tissue
CL-038	Amniotic Cord Tissue
CL-039	Amniotic Cord Tissue
CL-040	Amniotic Cord Tissue
CL-041	Amniotic Cord Tissue
CL-042	Amniotic Cord Tissue
CL-043	Amniotic Cord Tissue
CL-044	Amniotic Cord Tissue
CL-045	Amniotic Cord Tissue
CL-046	Amniotic Cord Tissue
CL-047	Amniotic Cord Tissue
CL-048	Amniotic Cord Tissue
CL-049	Amniotic Cord Tissue
CL-050	Amniotic Cord Tissue
CL-051	Amniotic Cord Tissue
CL-052	Amniotic Cord Tissue
CL-053	Amniotic Cord Tissue
CL-054	Amniotic Cord Tissue
CL-055	Amniotic Cord Tissue
CL-056	Amniotic Cord Tissue
CL-057	Amniotic Cord Tissue
CL-058	Amniotic Cord Tissue
CL-059	Amniotic Cord Tissue
CL-060	Amniotic Cord Tissue
CL-061	Amniotic Cord Tissue
CL-062	Amniotic Cord Tissue
CL-063	Amniotic Cord Tissue
CL-064	Amniotic Cord Tissue
CL-065	Amniotic Cord Tissue
CL-066	Amniotic Cord Tissue
CL-067	Amniotic Cord Tissue
CL-068	Amniotic Cord Tissue
CL-069	Amniotic Cord Tissue
CL-070	Amniotic Cord Tissue
CL-071	Amniotic Cord Tissue
CL-072	Amniotic Cord Tissue
CL-073	Amniotic Cord Tissue
CL-074	Amniotic Cord Tissue
CL-075	Amniotic Cord Tissue
CL-076	Amniotic Cord Tissue
CL-077	Amniotic Cord Tissue
CL-078	Amniotic Cord Tissue
CL-079	Amniotic Cord Tissue
CL-080	Amniotic Cord Tissue
CL-081	Amniotic Cord Tissue
CL-082	Amniotic Cord Tissue
CL-083	Amniotic Cord Tissue
CL-084	Amniotic Cord Tissue
CL-085	Amniotic Cord Tissue
CL-086	Amniotic Cord Tissue
CL-087	Amniotic Cord Tissue
CL-088	Amniotic Cord Tissue
CL-089	Amniotic Cord Tissue
CL-090	Amniotic Cord Tissue
CL-091	Amniotic Cord Tissue
CL-092	Amniotic Cord Tissue
CL-093	Amniotic Cord Tissue
CL-094	Amniotic Cord Tissue
CL-095	Amniotic Cord Tissue
CL-096	Amniotic Cord Tissue
CL-097	Amniotic Cord Tissue
CL-098	Amniotic Cord Tissue
CL-099	Amniotic Cord Tissue
CL-100	Amniotic Cord Tissue

Amniotic Cord Tissue

CL-001

CL-002

CL-003

CL-004

CL-005

CL-006

CL-007

CL-008

CL-009

CL-010

CL-011

CL-012

CL-013

CL-014

CL-015

CL-016

CL-017

CL-018

CL-019

CL-020

CL-021

CL-022

CL-023

CL-024

CL-025

CL-026

CL-027

CL-028

CL-029

CL-030

CL-031

CL-032

CL-033

CL-034

CL-035

CL-036

CL-037

CL-038

CL-039

CL-040

CL-041

CL-042

CL-043

CL-044

CL-045

CL-046

CL-047

CL-048

CL-049

CL-050

CL-051

CL-052

CL-053

CL-054

CL-055

CL-056

CL-057

CL-058

CL-059

CL-060

CL-061

CL-062

CL-063

CL-064

CL-065

CL-066

CL-067

CL-068

CL-069

CL-070

CL-071

CL-072

CL-073

CL-074


CL-075

CL-076

CL-0

- 8

Topic 4: Treatment



- The primary reason for installing a water treatment system was to **address aesthetic issues**.
- All participants with a treatment system commented that it was **costly and onerous to maintain**.
- **No one had tested** their water after their system was installed.
- **Cost** deterred many from treating their water.
- All agreed that choosing a treatment system was a **complicated process** and most participants relied on an expert.
- Many found it **difficult to use information** about treatment systems on the internet.
- Several expressed frustration over the **lack of recommendations** for vendors and treatment systems; others received different quotes for the same treatment system; two groups commented that a **rating system or certification process** would be highly beneficial for consumers.

Topic 5:

Sources of Information



- Stated a need for more information about:
 - local geology and aquifers
 - potential health effects of contaminated water
 - specific information about local laboratories
- Many participants mentioned that the NH DES or “the State” was the best place to go for information.
- Some felt that general information was accessible, but **requested more information about local conditions.**
- Some suggested that **information or maps about other local test results** would be highly beneficial.

Phase 2: Survey Design



Sections on SurveyMonkey (31 to 40 questions):

1. Cover letter and confirmation of eligibility
2. Sources of water
3. Sources of information about water (including NH DES flyer)
4. Water testing (including motivations and barriers)
5. Water treatment (including motivations and barriers)
6. Household details
7. Demographic information
8. iPad drawing participation
9. Thank you and link to Dartmouth Superfund page

Phase 3: Survey Recruitment



You Deserve to Know What You're Drinking!

Dartmouth researchers want to help you find out.

By completing our survey, you will be supporting efforts to let more people know why and how to get their well water tested.

Please take our quick online survey:

surveymonkey.com/s/nhwells

(at this web address or by scanning QR code at right)



<<Owner>>
<<Co_Owner>>
<<Mailing_Ad>>
<<Mailing_1>>
<<Mailing_Ci>>, <<Mailing_St>> <<Mailing_Zi>>

Thanks for participating,

Mark Borsuk
Associate Professor of Engineering
engineering.dartmouth.edu

RESEARCH SPONSORED BY:





**Postcards sent to
about 7,200
addresses with wells**


Phase 4: Survey Response

About 700
responses total

Response Timing




Summary of Survey Responses



- 82% of respondents drink their tap water “always” or “frequently”
- Many respondents (20%) have not spoken with anyone about the safety of well water
- **Among the 80% of people who DID test their water:**
 - The most common time since testing is 3-10 years ago (29%)
 - Most had it tested as part of a real estate transaction (40%)
 - The most common concerning test results were (Q13):
 - Arsenic (24%)
 - Radionuclides (19%)
 - Iron (20%)


Summary of Survey Responses



Among the 20% of respondents who DID NOT test their water:


- The most common reasons for not testing were:
 - I meant to have it tested but never got around to it (42%)
 - I didn't know how to go about having it tested (38%)
 - The water looks, smells, and tastes clean (33%)
 - I have not had any health problems caused by drinking the water (28%)
 - The testing costs too much (25%)
- The most common conditions which would prompt respondents to test their water were:
 - A change in the taste, smell, or appearance of the water (81%)
 - Hearing that a neighbor's water had problems (70%)
 - Hearing that other wells in town had problems (63%)
 - A coupon for a discount on a water test (61%)
 - A mobile testing lab visiting my town (60%)
 - Seeing a news article about a water quality problem in the area (59%)

Summary of Survey Responses



- **Among the 67% of respondents who DO treat their water:**
 - 35% treat because they had the water tested and the results indicated it should be treated
 - 30% treat because the water tasted, smelled, or looked bad
 - 35% treat for a variety of other reasons
 - 39% have NEVER tested their water since starting to use their water treatment system; 21% test only RARELY (about every 5-10 years) (Q23)
- **Among the 33% of respondents who DO NOT treat their water:**
 - 46% have had their water tested and the results suggested there was no need to treat
 - 16% believe a treatment system is too expensive or difficult to install, use, and maintain


Summary of Survey Responses



Some demographic facts:


- 88% respondents live in a single-family residence
- 55% have lived in their current location for more than 10 years 76% have been a resident of NH for more than 10 years
- 36% had a well at their previous residence
- 30% had a well at their childhood home
- 83% are 'not at all likely' to move in the next 12 months
- The average household size is about 2.8 people
- The average age of respondents is 55 years, with a standard deviation of 12.5 years
- 96% are White/Caucasian
- 72% have at least a college degree
- 54% are employed full time and 21% are retired
- 33% reported an annual income of more than \$100,000/yr

Phase 5: Survey Analysis of Testing Rates



- About 40% (310/750) of those from higher risk arsenic towns have not tested their water for arsenic.
- Almost 40% (165/440) of those from higher risk arsenic towns who tested their water for arsenic received test results that are 'concerning' to them.
- Compared to the less than 10% (5/80) of those from lower risk arsenic towns who received 'concerning' test results.

Survey Analysis of Treatment Rates




- Only about half (145/270) of those who treat their water with the intent to remove arsenic actually have treatment systems that are effective at arsenic removal.
- Most of those who are correctly treating (90/145) are those who received concerning arsenic test results.
- Most of those who are NOT correctly treating their water are those who have not had their water tested for arsenic.


Survey Analysis of Influence Factors

Classification and Regression Trees (CART)

→ Attempt to predict a categorical variable (e.g., *test / no test*) using a series of splits of influence factors




Factors Influencing Arsenic Testing




Arrow length proportional to amount of variation explained.

Factors Influencing Arsenic Treatment



Arrow length proportional to amount of variation explained.

Factors Influencing Arsenic Mistreatment



Arrow length proportional to amount of variation explained.

Target Subpopulations

- **Target populations for water testing** include residents from high arsenic towns (especially non-white residents or those in seasonal or multi-family buildings).
 - Engaging in face-to-face discussions should be an effective intervention to encourage testing.
- **Target populations for water treatment** include residents who have received test results showing 'levels of concern', but who either do not understand what action to take or are low-income.
 - Providing treatment information with test results or financial assistance may be effective interventions.
- **Target populations for correcting mistreatment** include residents who have not performed an arsenic test, in particular those who have not previously talked to anyone about water quality, especially a water treatment company.
 - The interventions identified above should be effective here, especially encouraging re-testing and connecting with a qualified water treatment expert.

Intervention Design

Types of Interventions:

- Town communication campaign
- Intercept campaign
- Well water testing events

Experimental Design:

- A total of six towns were recruited and each of three different interventions will be implemented in four different towns.

Town	Town Communication	Intercept Campaign	Testing Event
A	X		X
B		X	X
C	X	X	
D		X	X
E	X		X
F	X	X	

- All combinations of every two initiatives are duplicated
- All individual effects and interactions can be estimated
- Assumes 'independence of towns'

Intervention Planning

- We are currently working with all six towns to select locations and communication channels.
- Our subcontractor has created visual and message communication materials.
- We are in the process of vetting material with partners and focus groups.
- Implementation will occur over the next two months.
- We will be evaluating both process and outcome metrics.



Community Health Institute

New Hampshire's Public Health Institute

Questions?



Do you know what's in *your* well water?

